




## TASK RANGE

# PENNY

2013

*"Integrating creativity and modern aesthetics"*



## PENNY

Penny was designed for long periods in front of a computer screen, because clients can customise each individual chair with the vast array of options, such as Ergo-sit seat cushion, slide seat and height adjustable arms.

The ease of adjustment from the seated position makes Penny most suitable for workstation use where multiple users or varied job functions may require frequent adjustment to the optimum seating position.

Penny can also be fitted with our Ergo-sit seat cushion design, which uses a unique blend of multi-density foam for additional support to the buttock area, thereby promoting good posture.

Penny chairs are available with medium or high backs, non tilt, tilt or independent seat and back.



Approved Supplier  
SCCB Contract No. 1006  
20/10/2009 - 8/02/2013



L6  
Not all models have AFRDI certification. AFRDI certificates for select models available upon request.




PENNY

PE26A5

Back Size: 460 W x 500 H (High back)  
 435 W x 460 H (Medium back)  
 Seat Size: 500 W x 460 D  
 Seat Height: 560 - 760 (Typist / Clerical)  
 560 - 760 (Drafting standard D1 & D3 footring)  
 630 - 890 (Drafting standard D2 & D4 footring)

Option codes must be placed in alphabetical order after chair code

 A5 Height adjustable arm	 A14 Loop arm	 B1 Polished aluminium base	 C1 Brake castors (carpet floors)
 C2 Brake castors	 C5 Glides	 D1 & D2 Aluminium footring	 D3 & D4 Black plastic footring
 E Ergosit seat cushion	 M2 Ratchet back mechanism	 S2 Small seat (500W x 460D)	 S6 Large seat (560W x 500D)



HIGH BACK

PE30 non tilt seat  
 PE35 tilt seat  
 PE36 3 paddle mech



MEDIUM BACK

PE20 non tilt seat  
 PE25 tilt seat  
 PE26 3 paddle mech



DRAFTING

PE20D3 non tilt seat  
 PE26D3 3 paddle mech



SLIDE SEAT INSTRUCTIONS

The Slide Seat mechanism allows the seat to slide forward increasing the seat depth by 50mm. It offers 5 locking positions.

As depth between the back and seat increases it allows larger people more comfort.

To operate simply lift the handle and slide the seat forward or backward to adjust into a one of the 5 locking positions. The mechanism should find each locking position without any force necessary.



Sturdy Framac pursue a policy of continuous improvement and reserve the right to introduce modification when required and to withdraw models without previous notification.

Sturdy Components Pty Limited trading as  
**STURDY FRAMAC**  
 www.sturdy.com.au

95 Gow Street  
 Padstow NSW 2211  
 Australia  
 Telephone: (02) 8760 8300  
 Fax: (02) 9707 1081

sales@sturdy.com.au



TASK RANGE

